



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.1870	1060	122.00	8
0.1870	1060	127.00	7
0.1870	1060	144.00	31
0.1870	1060	146.00	160
0.1870	1060	150.00	7
0.1969	1060	148.00	123
0.2362	1060	91.00	2
0.2362	1060	93.00	1
0.2362	1060	106.00	1
0.2362	1060	108.00	4
0.2362	1060	109.00	1
0.2362	1060	118.00	4
0.2362	1060	129.00	2
0.2362	1060	131.00	2
0.2362	1060	132.00	2
0.2362	1060	148.00	621
0.2490	1060	110.00	2
0.2490	1060	113.00	6
0.2490	1060	120.00	2
0.2490	1060	136.00	2
0.2490	1060	141.00	2
0.2490	1060	143.00	4
0.2490	1060	148.00	145
0.2490	1060	151.00	19
0.2495	1060	60.00	2
0.2495	1060	73.00	3
0.2495	1060	83.00	3
0.2495	1060	95.00	7
0.2495	1060	104.00	9
0.2495	1060	139.00	44
0.2495	1060	145.00	303
0.2500	1060	109.00	2
0.2500	1060	115.00	2
0.2500	1060	133.00	2
0.2500	1060	136.00	2
0.2500	1060	139.00	54
0.2500	1060	142.00	2
0.2500	1060	145.00	224
0.3150	1060	94.00	4
0.3150	1060	102.00	45
0.3150	1060	122.00	73
0.3150	1060	138.00	271
0.3150	1060	149.00	329
0.3740	1060	101.00	3
0.3740	1060	105.00	3
0.3740	1060	106.00	3
0.3740	1060	108.00	3
0.3740	1060	111.00	3
0.3740	1060	113.00	4
0.3740	1060	119.00	4
0.3740	1060	131.00	24
0.3740	1060	139.00	35
0.3740	1060	144.00	4
0.3740	1060	147.00	5
0.3740	1060	148.00	18



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.3740	1060	149.00	218
0.3745	1060	108.00	3
0.3745	1060	119.00	4
0.3745	1060	121.00	4
0.3745	1060	124.00	4
0.3745	1060	137.00	4
0.3745	1060	138.50	134
0.3745	1060	139.00	9
0.3745	1060	141.00	158
0.3745	1060	142.00	13
0.3745	1060	143.00	67
0.3745	1060	144.00	4
0.3745	1060	148.00	60
0.3745	1060	148.50	116
0.3745	1060	149.00	1,460
0.3745	440C	28.00	70
0.3745	440C	98.00	3
0.3745	440C	148.00	282
0.3750	1060	106.00	3
0.3750	1060	109.00	3
0.3750	1060	123.00	27
0.3750	1060	136.00	13
0.3750	1060	139.75	22
0.3750	1060	142.00	58
0.3750	1060	144.00	5
0.3750	1060	147.75	18
0.3750	1060	149.00	289
0.3937	1060	65.00	7
0.3937	1060	69.00	2
0.3937	1060	69.50	2
0.3937	1060	71.50	2
0.3937	1060	90.00	3
0.3937	1060	93.50	3
0.3937	1060	114.00	16
0.3937	1060	116.00	4
0.3937	1060	126.00	4
0.3937	1060	127.50	4
0.3937	1060	128.00	4
0.3937	1060	132.00	27
0.3937	1060	136.00	103
0.3937	1060	148.00	893
0.4950	1060	185.00	1,009
0.4990	1060	87.00	5
0.4990	1060	98.75	5
0.4990	1060	120.00	7
0.4990	1060	121.00	20
0.4990	1060	122.25	7
0.4990	1060	123.25	7
0.4990	1060	124.00	21
0.4990	1060	125.00	7
0.4990	1060	131.00	7
0.4990	1060	137.25	8
0.4990	1060	151.75	8
0.4990	1060	153.25	8
0.4990	1060	153.75	9



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.4990	1060	155.75	9
0.4990	1060	159.50	9
0.4990	1060	160.25	9
0.4990	1060	162.75	9
0.4990	1060	164.75	9
0.4990	1060	175.00	19
0.4990	1060	176.75	10
0.4990	1060	177.00	20
0.4990	1060	184.50	10
0.4990	1060	186.00	10
0.4990	1060	186.50	1,106
0.4990	1060	109.00	60
0.4990	1060	122.00	7
0.4990	1060	128.00	14
0.4990	1060	132.00	7
0.4990	1060	135.00	7
0.4990	1060	139.00	8
0.4990	1060	141.00	109
0.4990	1060	146.00	32
0.4990	1060	151.00	8
0.4990	1060	161.00	9
0.4990	1060	166.00	37
0.4990	1060	169.00	9
0.4990	1060	173.00	10
0.4990	1060	176.00	29
0.4990	1060	180.00	30
0.4990	1060	182.00	10
0.4990	1060	185.00	338
0.4990	1060	185.50	935
0.4990	1060	186.00	113
0.4990	1060	189.00	10
0.4990	1060	191.00	11
0.4990	1060	195.00	11
0.4990	1060	213.00	47
0.4990	440C	94.00	5
0.4990	440C	106.00	6
0.4990	440C	118.00	7
0.4990	440C	128.50	71
0.4990	440C	139.00	15
0.4990	440C	139.50	116
0.4990	440C	149.00	338
0.4990	440C	150.00	1,089
0.4995	1060	75.00	4
0.4995	1060	89.00	5
0.4995	1060	96.00	5
0.4995	1060	102.00	6
0.4995	1060	110.00	6
0.4995	1060	137.00	8
0.4995	1060	139.00	8
0.4995	1060	139.50	15
0.4995	1060	142.00	71
0.4995	1060	144.00	168
0.4995	1060	152.00	8
0.4995	1060	156.00	113
0.4995	1060	158.00	70



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.4995	1060	170.00	198
0.4995	1060	173.00	144
0.4995	1060	174.00	10
0.4995	1060	175.00	10
0.4995	1060	176.00	59
0.4995	1060	178.00	99
0.4995	1060	181.00	10
0.4995	1060	184.00	31
0.4995	1060	185.00	2,896
0.4995	440C	131.00	7
0.4995	440C	141.00	39
0.4995	440C	146.00	57
0.4995	440C	150.00	50
0.5000	1060	184.00	10
0.6240	1060	69.00	6
0.6240	1060	112.00	29
0.6240	1060	117.00	10
0.6240	1060	129.00	11
0.6240	1060	149.00	13
0.6240	1060	156.00	14
0.6240	1060	163.00	42
0.6240	1060	173.00	15
0.6240	1060	174.00	15
0.6240	1060	186.00	967
0.6240	1060	188.00	163
0.6240	440C	96.00	8
0.6240	440C	124.00	11
0.6240	440C	137.00	83
0.6240	440C	143.00	297
0.6240	440C	148.00	769
0.6240	440C	148.50	116
0.6245	1060	180.00	78
0.6245	1060	186.00	5,714
0.6245	1060	95.50	8
0.6245	1060	130.00	11
0.6245	1060	143.50	12
0.6245	1060	186.00	32
0.6250	1060	160.50	14
0.6250	1060	177.50	956
0.6250	1060	185.00	32
0.6299	1060	180.00	64
0.6299	1060	186.00	1,100
0.7087	1060	154.00	17
0.7087	1060	157.00	18
0.7087	1060	164.00	18
0.7087	1060	185.00	3,949
0.7482	1060	177.00	22
0.7482	1060	184.00	206
0.7484	1060	180.00	22
0.7484	1060	184.00	298
0.7488	1060	145.00	18
0.7488	1060	184.00	436
0.7490	1060	93.00	12
0.7490	1060	106.00	13
0.7490	1060	117.00	15



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.7490	1060	133.00	33
0.7490	1060	134.00	17
0.7490	1060	139.00	17
0.7490	1060	156.00	19
0.7490	1060	158.00	177
0.7490	1060	159.00	20
0.7490	1060	160.00	40
0.7490	1060	161.00	20
0.7490	1060	165.00	21
0.7490	1060	166.00	21
0.7490	1060	167.00	21
0.7490	1060	171.00	21
0.7490	1060	173.00	22
0.7490	1060	174.00	43
0.7490	1060	177.00	464
0.7490	1060	179.00	22
0.7490	1060	180.00	45
0.7490	1060	184.00	1,355
0.7490	1060	185.00	1,293
0.7490	1060	185.00	115
0.7490	440C	149.00	205
0.7495	1060	122.00	15
0.7495	1060	124.00	77
0.7495	1060	133.00	33
0.7495	1060	136.00	17
0.7495	1060	137.00	17
0.7495	1060	148.00	18
0.7495	1060	150.00	19
0.7495	1060	154.50	19
0.7495	1060	156.00	175
0.7495	1060	159.00	20
0.7495	1060	162.00	20
0.7495	1060	164.00	41
0.7495	1060	166.00	21
0.7495	1060	169.00	275
0.7495	1060	170.00	42
0.7495	1060	171.00	21
0.7495	1060	172.00	43
0.7495	1060	173.00	151
0.7495	1060	174.00	65
0.7495	1060	175.00	22
0.7495	1060	176.00	44
0.7495	1060	177.00	111
0.7495	1060	178.00	44
0.7495	1060	179.00	89
0.7495	1060	181.00	90
0.7495	1060	182.00	23
0.7495	1060	184.00	805
0.7495	1060	185.00	139
0.7495	1060	185.00	185
0.7495	440C	89.00	11
0.7495	440C	98.00	49
0.7495	440C	103.00	13
0.7495	440C	105.00	13
0.7495	440C	124.00	248



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.7495	440C	126.00	16
0.7495	440C	132.00	16
0.7495	440C	134.00	17
0.7495	440C	142.00	53
0.7495	440C	144.00	108
0.7495	440C	145.00	36
0.7495	440C	147.00	18
0.7495	440C	149.00	2,570
0.7500	1060	176.00	330
0.7500	1060	181.00	227
0.7874	1060	175.00	3,645
0.8740	1060	185.00	220
0.8740	1060	185.50	63
0.8745	1060	146.00	50
0.8745	1060	161.00	55
0.8745	1060	174.00	118
0.8745	1060	186.00	316
0.8750	1060	205.50	35
0.8750	1060	211.00	72
0.8750	1060	216.00	405
0.9843	1060	115.00	25
0.9843	1060	119.00	26
0.9843	1060	142.00	61
0.9843	1060	147.00	63
0.9843	1060	148.00	96
0.9843	1060	149.00	32
0.9843	1060	152.00	524
0.9843	1060	153.00	33
0.9843	1060	154.00	66
0.9843	1060	161.00	35
0.9843	1060	166.00	36
0.9843	1060	173.00	37
0.9843	1060	174.00	75
0.9843	1060	179.00	77
0.9843	1060	181.00	39
0.9843	1060	182.00	39
0.9843	1060	183.00	39
0.9843	1060	184.00	40
0.9843	1060	186.00	80
0.9843	1060	197.00	467
0.9843	1060	199.00	43
0.9843	1060	200.00	43
0.9843	1060	201.00	43
0.9843	1060	203.00	88
0.9843	1060	204.00	176
0.9843	1060	205.00	44
0.9843	1060	206.00	44
0.9843	1060	208.00	224
0.9843	1060	209.00	766
0.9843	440C	189.00	41
0.9843	440C	197.00	42
0.9843	440C	202.00	44
0.9843	440C	203.00	88
0.9843	440C	205.00	88
0.9843	440C	212.00	46



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.9843	440C	214.00	92
0.9843	440C	215.00	46
0.9843	440C	220.00	142
0.9843	440C	221.00	524
0.9843	440C	222.00	144
0.9843	440C	223.00	96
0.9900	440C	216.00	47
0.9900	440C	219.00	48
0.9980	1060	209.50	1,254
0.9990	1060	12.00	51
0.9990	1060	133.00	30
0.9990	1060	135.00	30
0.9990	1060	143.00	64
0.9990	1060	147.00	33
0.9990	1060	152.00	135
0.9990	1060	153.00	170
0.9990	1060	167.00	222
0.9990	1060	160.00	107
0.9990	1060	322.00	286
0.9990	440C	136.00	30
0.9990	440C	138.00	31
0.9990	440C	140.00	31
0.9990	440C	147.00	33
0.9990	440C	150.00	67
0.9990	440C	157.00	35
0.9990	440C	163.00	36
0.9990	440C	171.00	38
0.9990	440C	177.00	39
0.9990	440C	183.00	122
0.9990	440C	191.00	85
0.9990	440C	192.00	341
0.9990	440C	194.00	86
0.9990	440C	195.00	43
0.9990	440C	196.00	261
0.9990	440C	197.00	87
0.9990	440C	198.00	88
0.9990	440C	199.00	44
0.9990	440C	212.00	47
0.9990	440C	214.00	48
0.9990	440C	216.00	48
0.9990	440C	218.00	145
0.9990	440C	219.00	146
0.9990	440C	220.00	1,319
0.9990	440C	221.00	1,325
0.9990	440C	222.00	444
0.9990	440C	223.00	50
0.9995	1060	78.00	52
0.9995	1060	105.00	327
0.9995	1060	107.00	24
0.9995	1060	126.75	28
0.9995	1060	133.00	30
0.9995	1060	136.00	60
0.9995	1060	139.50	31
0.9995	1060	152.00	34
0.9995	1060	152.50	34



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
0.9995	1060	154.00	34
0.9995	1060	159.00	106
0.9995	1060	162.75	36
0.9995	1060	166.50	37
0.9995	1060	167.25	37
0.9995	1060	168.00	37
0.9995	1060	168.50	37
0.9995	1060	169.00	263
0.9995	1060	171.00	190
0.9995	1060	180.50	40
0.9995	1060	184.00	82
0.9995	1060	186.00	2,729
0.9995	1060	187.00	208
0.9995	1060	188.00	334
0.9995	1060	189.00	84
0.9995	1060	190.00	380
0.9995	1060	191.00	85
0.9995	1060	194.00	43
0.9995	1060	195.00	87
0.9995	1060	196.00	44
0.9995	1060	197.00	569
0.9995	1060	198.00	792
0.9995	1060	208.00	416
0.9995	1060	209.00	6,039
0.9995	440C	134.00	30
0.9995	440C	143.00	32
0.9995	440C	164.00	73
0.9995	440C	169.00	38
0.9995	440C	174.00	39
0.9995	440C	175.00	39
0.9995	440C	179.00	40
0.9995	440C	181.00	40
0.9995	440C	185.00	82
0.9995	440C	186.00	41
0.9995	440C	189.00	42
0.9995	440C	190.00	169
0.9995	440C	197.00	44
0.9995	440C	198.00	88
0.9995	440C	202.00	45
0.9995	440C	209.00	46
0.9995	440C	213.00	568
0.9995	440C	216.00	96
0.9995	440C	217.00	48
0.9995	440C	219.00	2,775
0.9997	1060	208.00	555
0.9997	1060	209.00	279
1.0000	1060	196.00	44
1.0000	1060	199.00	44
1.0000	1060	200.00	45
1.0000	1060	201.00	45
1.0000	1060	208.00	879
1.1245	1060	194.00	164
1.1245	1060	201.00	113
1.1245	1060	202.00	114
1.1245	1060	204.00	115



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.1245	1060	209.00	4,116
1.1245	1060	215.00	60
1.1245	1060	226.00	64
1.1245	1060	231.00	195
1.1250	1060	231.25	326
1.1811	1060	193.00	60
1.1811	1060	201.00	62
1.1811	1060	209.00	714
1.1811	1060	54.00	17
1.1811	1060	113.00	70
1.1811	1060	146.50	45
1.1811	1060	150.00	47
1.1811	1060	160.00	199
1.1811	1060	209.00	6,098
1.2485	440C	133.00	46
1.2485	440C	138.00	48
1.2485	440C	148.00	51
1.2485	440C	158.00	55
1.2485	440C	163.00	57
1.2485	440C	168.50	58
1.2485	440C	178.00	62
1.2485	440C	179.00	62
1.2485	440C	182.00	63
1.2485	440C	193.00	469
1.2485	440C	193.50	67
1.2485	440C	198.00	137
1.2485	440C	199.00	276
1.2485	440C	208.00	72
1.2485	440C	210.00	73
1.2485	440C	212.50	74
1.2485	440C	213.00	148
1.2485	440C	213.50	74
1.2485	440C	216.50	75
1.2490	1060	126.00	44
1.2490	1060	131.50	137
1.2490	1060	144.00	50
1.2490	1060	169.00	176
1.2490	1060	186.00	129
1.2490	1060	190.00	198
1.2490	1060	209.00	653
1.2490	1060	100.00	35
1.2490	1060	107.00	37
1.2490	1060	128.00	44
1.2490	1060	143.00	50
1.2490	1060	156.00	54
1.2490	1060	170.00	118
1.2490	1060	176.50	61
1.2490	1060	188.50	393
1.2490	1060	192.00	67
1.2490	1060	193.00	268
1.2490	1060	194.50	68
1.2490	1060	198.00	137
1.2490	1060	199.00	69
1.2490	1060	200.00	69
1.2490	1060	203.00	70



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.2490	1060	204.00	212
1.2490	1060	205.00	71
1.2490	1060	208.00	3,249
1.2490	1060	208.50	289
1.2490	1060	209.00	2,539
1.2490	1060	210.00	73
1.2490	440C	73.00	51
1.2490	440C	93.00	97
1.2490	440C	111.00	39
1.2490	440C	116.00	40
1.2490	440C	126.00	44
1.2490	440C	129.00	90
1.2490	440C	141.00	49
1.2490	440C	144.00	50
1.2490	440C	148.50	52
1.2490	440C	155.00	54
1.2490	440C	160.00	56
1.2490	440C	165.00	57
1.2490	440C	166.00	58
1.2490	440C	171.00	534
1.2490	440C	180.00	62
1.2490	440C	185.00	128
1.2490	440C	188.00	65
1.2490	440C	195.00	68
1.2490	440C	210.00	146
1.2490	440C	211.00	73
1.2490	440C	213.00	148
1.2490	440C	214.00	149
1.2490	440C	215.00	149
1.2490	440C	217.00	151
1.2490	440C	220.00	76
1.2490	440C	222.00	385
1.2495	1060	127.00	44
1.2495	1060	137.00	48
1.2495	1060	140.00	49
1.2495	1060	144.00	100
1.2495	1060	164.00	57
1.2495	1060	167.00	116
1.2495	1060	178.00	62
1.2495	1060	180.00	63
1.2495	1060	181.00	126
1.2495	1060	187.00	65
1.2495	1060	188.00	65
1.2495	1060	190.00	132
1.2495	1060	191.00	133
1.2495	1060	200.00	69
1.2495	1060	202.00	70
1.2495	1060	208.00	2,384
1.2495	1060	208.50	72
1.2495	1060	66.00	23
1.2495	1060	104.00	36
1.2495	1060	151.00	52
1.2495	1060	154.00	53
1.2495	1060	163.00	57
1.2495	1060	168.00	58



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.2495	1060	176.00	61
1.2495	1060	182.00	63
1.2495	1060	189.00	66
1.2495	1060	195.00	68
1.2495	1060	209.00	508
1.2495	440C	103.75	36
1.2495	440C	198.00	275
1.2495	440C	210.00	73
1.2495	440C	211.00	513
1.2495	440C	212.00	147
1.2495	440C	213.00	518
1.2495	440C	214.00	595
1.2495	440C	215.00	448
1.2495	440C	216.00	375
1.2495	440C	217.00	302
1.2495	440C	218.00	379
1.2495	440C	219.00	152
1.2495	440C	220.00	153
1.2495	440C	221.00	154
1.2495	440C	222.00	1,003
1.2495	440C	224.00	467
1.2500	1060	208.00	1,591
1.2503	1060	119.50	42
1.2503	1060	181.00	126
1.2503	1060	193.00	67
1.2503	1060	202.00	70
1.2503	1060	209.00	872
1.3745	1060	198.00	83
1.3745	1060	209.00	703
1.3750	1060	145.00	61
1.3750	1060	153.00	64
1.3750	1060	154.00	65
1.3750	1060	171.00	72
1.3750	1060	180.00	151
1.3779	1060	198.50	84
1.3779	1060	200.00	422
1.3779	1060	205.00	173
1.3779	1060	209.00	1,148
1.4974	1060	208.00	726
1.4989	1060	99.00	198
1.4989	1060	168.00	84
1.4989	1060	175.00	1,137
1.4989	1060	208.00	416
1.4989	1060	117.00	58
1.4989	1060	130.00	65
1.4989	1060	131.00	65
1.4989	1060	141.00	141
1.4989	1060	151.00	151
1.4989	1060	157.00	314
1.4989	1060	158.00	158
1.4989	1060	163.00	326
1.4989	1060	167.00	167
1.4989	1060	169.00	84
1.4989	1060	180.00	90
1.4989	1060	181.00	90



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.4989	1060	182.00	273
1.4989	1060	192.00	288
1.4989	1060	193.00	96
1.4989	1060	196.00	98
1.4989	1060	197.00	689
1.4989	1060	199.00	398
1.4989	1060	201.00	502
1.4989	1060	202.00	303
1.4989	1060	203.50	102
1.4989	1060	206.00	206
1.4989	1060	208.00	1,768
1.4989	1060	209.00	1,254
1.4989	1060	210.00	735
1.4989	440C	46.00	23
1.4989	440C	89.00	44
1.4989	440C	121.50	61
1.4989	440C	151.00	75
1.4989	440C	161.00	80
1.4989	440C	168.00	84
1.4989	440C	171.00	85
1.4989	440C	175.00	175
1.4989	440C	177.00	88
1.4989	440C	179.00	89
1.4989	440C	180.00	90
1.4989	440C	183.00	91
1.4989	440C	196.00	98
1.4989	440C	197.00	98
1.4989	440C	198.00	99
1.4989	440C	199.00	199
1.4989	440C	200.00	100
1.4989	440C	209.00	104
1.4989	440C	211.50	106
1.4989	440C	213.00	426
1.4989	440C	213.50	107
1.4989	440C	215.00	107
1.4989	440C	216.00	216
1.4989	440C	217.00	325
1.4989	440C	218.00	218
1.4989	440C	219.00	109
1.4989	440C	220.00	330
1.4989	440C	221.00	110
1.4989	440C	222.00	999
1.4989	440C	223.00	780
1.4989	440C	224.00	1,344
1.4994	1060	137.00	69
1.4994	1060	150.00	75
1.4994	1060	154.00	77
1.4994	1060	162.00	81
1.4994	1060	166.00	83
1.4994	1060	168.00	420
1.4994	1060	173.00	87
1.4994	1060	176.00	88
1.4994	1060	179.00	90
1.4994	1060	180.00	180
1.4994	1060	185.00	278



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.4994	1060	186.00	93
1.4994	1060	187.00	94
1.4994	1060	189.00	95
1.4994	1060	191.00	96
1.4994	1060	195.00	195
1.4994	1060	199.00	697
1.4994	1060	200.00	1,901
1.4994	1060	203.00	203
1.4994	1060	208.00	5,723
1.4994	1060	209.50	210
1.4994	1060	209.00	1,150
1.4994	440C	68.00	34
1.4994	440C	75.00	38
1.4994	440C	86.00	43
1.4994	440C	88.00	44
1.4994	440C	208.00	104
1.4994	440C	209.00	105
1.4994	440C	210.00	105
1.4994	440C	211.00	106
1.4994	440C	214.00	214
1.4994	440C	216.00	108
1.4994	440C	217.00	109
1.4994	440C	218.00	436
1.4994	440C	219.00	110
1.4994	440C	220.00	110
1.4994	440C	221.00	442
1.4994	440C	222.00	1,222
1.4994	440C	223.00	1,896
1.4994	440C	224.00	112
1.5000	1060	208.00	729
1.5000	1060	155.00	233
1.5000	1060	185.00	93
1.5000	1060	190.00	95
1.5000	1060	191.00	191
1.5000	1060	193.00	193
1.5000	1060	194.00	291
1.5000	1060	200.00	801
1.5000	1060	201.00	704
1.5000	1060	203.00	305
1.5000	1060	204.00	102
1.5000	1060	206.00	103
1.5000	1060	208.00	2,499
1.5748	1060	210.00	1,622
1.7490	1060	208.00	1,133
1.7490	1060	152.00	103
1.7490	1060	201.00	137
1.7490	1060	205.00	279
1.7490	1060	208.00	1,557
1.7490	1060	209.00	2,703
1.7495	1060	208.00	283
1.7495	1060	209.00	9,536
1.7495	1060	208.00	142
1.7500	1060	145.00	99
1.7500	1060	167.00	114
1.7500	1060	185.00	126



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.7500	1060	187.00	127
1.7500	1060	188.00	384
1.7500	1060	209.00	1,282
1.9685	1060	161.00	139
1.9685	1060	181.00	156
1.9685	1060	196.00	169
1.9685	1060	201.00	173
1.9685	1060	203.00	525
1.9685	1060	91.00	157
1.9685	1060	96.00	83
1.9685	1060	124.00	107
1.9685	1060	136.00	352
1.9685	1060	156.00	269
1.9685	1060	184.00	952
1.9685	1060	200.00	172
1.9685	1060	203.00	175
1.9685	1060	205.00	177
1.9685	1060	206.00	178
1.9685	1060	209.00	7,028
1.9987	1060	93.00	83
1.9987	1060	107.00	95
1.9987	1060	115.00	102
1.9987	1060	146.00	130
1.9987	1060	182.00	162
1.9987	1060	192.00	171
1.9987	1060	198.00	176
1.9987	1060	199.00	177
1.9987	1060	203.00	180
1.9987	1060	208.50	185
1.9987	1060	209.00	2,415
1.9987	440C	65.00	58
1.9987	440C	84.00	75
1.9987	440C	130.50	232
1.9987	440C	179.00	159
1.9987	440C	192.00	171
1.9987	440C	200.00	178
1.9987	440C	205.00	182
1.9987	440C	209.00	186
1.9987	440C	214.00	571
1.9987	440C	216.50	192
1.9987	440C	219.00	195
1.9987	440C	222.00	1,973
1.9987	440C	223.00	198
1.9994	1060	67.00	60
1.9994	1060	80.00	71
1.9994	1060	89.00	79
1.9994	1060	91.00	81
1.9994	1060	120.00	107
1.9994	1060	144.00	128
1.9994	1060	156.00	139
1.9994	1060	168.00	149
1.9994	1060	180.00	320
1.9994	1060	189.00	168
1.9994	1060	196.00	697
1.9994	1060	208.50	2,596



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
1.9994	1060	209.00	2,231
1.9994	1060	206.00	183
1.9994	1060	209.00	929
1.9994	440C	94.00	84
1.9994	440C	101.00	90
1.9994	440C	141.00	125
1.9994	440C	171.00	152
1.9994	440C	197.00	175
1.9994	440C	207.00	368
1.9994	440C	210.00	187
2.0000	1060	150.00	267
2.0000	1060	175.00	156
2.0000	1060	177.00	158
2.0000	1060	198.00	176
2.0003	1060	104.00	93
2.0003	1060	143.00	127
2.0003	1060	161.00	143
2.0003	1060	165.00	147
2.2493	1060	80.00	90
2.2493	1060	104.00	117
2.2493	1060	143.00	322
2.2493	1060	155.00	698
2.2493	1060	201.00	226
2.2493	1060	208.00	5,151
2.2493	1060	199.00	224
2.2493	1060	205.00	231
2.2493	1060	208.00	468
2.2500	1060	181.00	408
2.2500	1060	205.00	231
2.2500	1060	206.00	232
2.2500	1060	209.00	1,883
2.3622	1060	189.00	235
2.3622	1060	194.00	241
2.3622	1060	196.00	243
2.3622	1060	206.00	256
2.3622	1060	209.00	1,038
2.3622	1060	209.00	3,373
2.4985	1060	49.00	68
2.4985	1060	66.00	92
2.4985	1060	68.00	94
2.4985	1060	72.00	100
2.4985	1060	73.00	101
2.4985	440C	47.75	66
2.4985	440C	74.00	103
2.4985	440C	75.00	104
2.4985	440C	76.00	106
2.4985	440C	87.50	122
2.4985	440C	135.50	188
2.4985	440C	137.00	190
2.4985	440C	138.00	192
2.4985	440C	149.00	207
2.4985	440C	167.25	232
2.4985	440C	172.00	239
2.4985	440C	174.00	242
2.4985	440C	181.00	251



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
2.4985	440C	190.00	264
2.4985	440C	190.50	265
2.4993	1060	139.00	193
2.4993	1060	145.00	202
2.4993	1060	150.00	208
2.4993	1060	157.00	218
2.4993	1060	159.00	663
2.4993	1060	174.00	242
2.4993	1060	179.00	249
2.4993	1060	185.00	514
2.4993	1060	187.00	260
2.4993	1060	198.00	550
2.4993	1060	203.00	282
2.4993	1060	204.00	851
2.4993	1060	205.00	285
2.4993	1060	208.00	578
2.4993	1060	208.50	869
2.4993	1060	209.00	581
2.4993	440C	169.00	470
2.4993	440C	176.00	978
2.4993	440C	186.00	517
2.5000	1060	170.00	709
2.5000	1060	197.00	2,466
2.5000	1060	208.00	3,760
2.7493	1060	185.50	312
2.9983	1060	75.00	150
2.9983	1060	151.00	302
2.9983	1060	156.00	312
2.9983	1060	173.00	346
2.9983	1060	194.00	388
2.9983	1060	198.00	396
2.9983	1060	208.00	2,496
2.9983	1060	209.00	418
2.9992	1060	57.00	114
2.9992	1060	84.00	336
2.9992	1060	120.00	240
2.9992	1060	122.00	244
2.9992	1060	152.00	304
2.9992	1060	169.00	1,353
2.9992	1060	208.00	22,896
2.9992	1060	231.00	462
2.9992	1060	208.00	416
2.9992	1060	209.00	2,091
3.0000	1060	197.00	789
3.0000	1060	208.00	10,830
3.1496	1060	83.50	184
3.1496	1060	86.00	190
3.1496	1060	86.50	191
3.1496	1060	87.00	192
3.1496	1060	209.00	2,768
3.4990	1060	168.00	458
3.9370	1060	30.00	103
3.9370	1060	57.00	197
3.9370	1060	146.00	504
3.9370	1060	199.00	686



Northlake Steel Corporation

To place an order or inquire on inventory call 1-888-278-4682

*All items subject to prior sale

Linear Shafting

<u>Size</u>	<u>Grade</u>	<u>Length (In.)</u>	<u>Weight (Lbs.)</u>
3.9370	1060	208.00	717
3.9370	1060	210.00	724
3.9976	1060	193.25	687
3.9976	1060	210.00	1,493
3.9976	1060	211.00	750
3.9988	1060	197.00	701
3.9988	1060	202.00	1,437
3.9988	1060	207.00	736
3.9988	1060	212.00	4,526
3.9988	1060	213.00	758
3.9988	1060	214.00	761
3.9988	1060	216.00	768